

Peace Project Water Use Plan Spill Protocol and Archaeology Management Plan

Monitoring Programs and Physical Works Annual Report 2023

Implementation Period: September 2022 to August 2023

- GMSMON-3 PCR Fish Stranding
- GMSMON-4 WACB Entrainment
- GMSMON-6 PCR Riparian Flooding
- GMSMON-8 PCR Side Channel Response
- GMSMON-9 PCR Spill Hydrology
- GMSMON-10 PCR Spill Photos
- GMSMON-11 PCR Spill TGP/Temperature
- GMSMON-12 PCR Wildlife Survey
- GMSMON-13 WLL Fish Index
- GMSMON-21A WLL Archaeological Overview Assessment
- GMSMON-21B WLL Erosion Monitoring of Archaeological Resources
- GMSWORKS-2 PCR Baseline TGP/Temperature

For Water Licences 123018, 123019, 123020, 123021, 123025

September 29, 2023

BC Hydro Peace Project Water Use Plan Spill Protocol and Archaeology Management Plan Annual Report: 2023

1 Introduction

This document represents a summary of the status and the results of the Peace Project Spill Protocol and Archaeology Management Plan Water Use Plan (WUP) monitoring program and physical works projects to August 31, 2023, as per the Peace Order under the *Water Act*, dated August 9, 2007. This annual report includes those projects in Schedule D of the Order, as well as those under Clause 7 (Archaeological). There are eleven monitoring programs and one physical works.

2 Status

The following table outlines the dates that Terms of Reference (TOR) for the Spill Protocol and Archaeology Management Plan WUP monitoring programs and physical works were submitted to and approved by the Comptroller of Water Rights (CWR).

Table 2-1 Dates of Spill Protocol and Archaeology Management Plan WUP Submissions and Approvals by the Comptroller of Water Rights

Monitoring Program & Physical Works		Original T	oR Submission	Most Recent ToR Resubmission			
TOR	Order Clause	Date Submitted	Date Approved	Date Submitted	Date Approved		
GMSMON-3 PCR FISH STRANDING	Schedule D.3.a	Feb 07, 2008	Apr 02, 2008	Dec 14, 2018	2019-07-09 CWR agrees to full cancellation		
GMSMON-4 WACB ENTRAINMENT	Schedule D.3.b	Feb 07, 2008	Apr 02, 2008	May 27, 2021	Jul 07, 2021		
GMSMON-6 PCR RIPARIAN FLOODING	Schedule D.3.c	Feb 07, 2008	Apr 02, 2008	Dec 14, 2018	2019-07-09 CWR agrees to full cancellation		
GMSMON-8 PCR SIDE CHANNEL RESPONSE	Schedule D.3.d	Feb 07, 2008	Apr 02, 2008	Dec 14, 2018	2019-07-09 CWR agrees to full cancellation		
GMSMON-9 PCR SPILL HYDROLOGY	Schedule D.3.e	Feb 07, 2008	Apr 02, 2008				
GMSMON-10 PCR SPILL PHOTOS	Schedule D.3.g	Feb 07, 2008	Apr 02, 2008	Dec 14, 2018	2019-07-09 CWR agrees to full cancellation		
GMSMON-11 PCR SPILL TGP/TEMP	Schedule D.3.f	Feb 07, 2008	Apr 02, 2008	Nov 16, 2020	Feb 02, 2021		
GMSMON-12 PCR WILDLIFE SURVEY	Schedule D.3.h	Feb 07, 2008	Apr 02, 2008	Dec 14, 2018	2019-07-09 CWR agrees to full cancellation		
GMSMON-13 WLL FISH INDEX	Schedule D.e.i	Feb 07, 2008	Apr 02, 2008				
GMSMON-21A WLL ARCHAEOLOGICAL OVERVIEW ASSESSMENT	Clause 7.a	May 09, 2008	008 Jun 02, 2008 Aug 07,		Jan 20, 2010		
GMSMON-21B WLL EROSION MONITORING OF ARCHAEOLOGICAL RESOURCES	Clause 7.b	May 09, 2008	Jun 02, 2008	Apr 13, 2022	May 17, 2022		
GMSWORKS-2 PCR BASELINE TGP/TEMP	Schedule D.1	Feb 07, 2008	Apr 02, 2008	May 31, 2019	Jun 28, 2019		

3 Schedule

The following table outlines the current schedule for the monitoring programs and physical works being delivered for the Spill Protocol and Archaeology Management Plan WUP.

Table 3-1: Monitoring Programs and Physical Works Schedule as of August 31, 2023

Monitoring Programs and Physical Works	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027
	WLR	WLR	WLR	WLR	WLR	WLR	WLR	WLR	WLR	WLR	WLR	WLR	WLR	WLR	WLR	WLR	WLR		WLR	WLR VB20
GMSMON-3: PCR Fish Stranding ¹		1142	110	1144	√ 1103	110		110	1103			11(12	IKIS	11(14				TKIO	11(13	11/20
GMSMON-4: WACB Entrainment					~								~	~		-	-	-	-	-
GMSMON-6: PCR Riparian Flooding ¹					~															
GMSMON-8: PCR Side Channel Response ¹					~															
GMSMON-9: PCR Spill Hydrology			~		~															
GMSMON-10: PCR Spill Photos ¹					~															
GMSMON-11: PCR Spill TGP/Temperature					~								~	~		-				
GMSMON-12: PCR Wildlife Survey ¹		~			~															
GMSMON-13: WLR Fish Index	~	√F																		
GMSMON-21A: WLL Archaeological Overview Assessment		~	√F																	
GMSMON-21B: WLL Erosion Monitoring of Archaeological Resources		Del	~	~	~	х	~	~	~	~	~	~	×	~	√F					
GMSWORKS-2: PCR Baseline TGP/Temperature	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	u/w	•			•

Legend

Project to be undertaken/initiated in identified year

= Opportunistic Program may be undertaken in identified year

u/w = Project is under way

Project not undertaken as planned for this year

- Del = Project is delayed for the year
- \checkmark = Project is completed for the year \checkmark F = All field work for this project is co

= All field work for this project is complete. No further field work is planned.

Footnotes:

1. CWR approved cancellation of project due to Site C

4 Monitoring Programs and Physical Works Terms of Reference

The monitoring programs and physical works being implemented under the Spill Protocol and Archaeology Management Plan WUP are described in Terms of Reference. These Terms of Reference and the reports for work completed to date can be found here:

https://www.bchydro.com/toolbar/about/sustainability/environmental_responsibilit y/water-use-plans/northern-interior/peace-river/spill-protocol-managementplan.html

5 Status of Monitoring Programs and Physical Works under Schedule D: Protocols in the event of Spills

5.1 GMSMON-3 Peace River Fish Stranding

The purpose of this project was to inform future spill strategies by assessing stranding downstream of Peace Canyon Dam (PCN). This opportunistic project is implemented in the event of a spill and was last triggered in 2012. However, as the area for this project is located in the future Site C inundation zone and the outcome of the project will not be applicable to a reservoir environment, this project has been canceled as per the CWR letter dated July 9, 2019.

5.2 GMSMON-4 WAC Bennett Dam Entrainment

The purpose of this project is to estimate fish entrainment through WAC Bennett Dam (GMS) Spillway and mortality rates of entrained fish. This opportunistic project is implemented in the event of a spill and was triggered in 2020. Entrainment monitoring was completed as per the project Terms of Reference. A Peace River Spill event in June 2021 triggered entrainment monitoring as per the revised Terms of Reference. There were no Peace River Spill events in 2023.

5.3 GMSMON-6 Peace River Riparian Flooding

The objective of this project was to inform revision of future spill strategies by assessing riparian flooding downstream of PCN. This opportunistic project is implemented in the event of a spill and was last triggered in 2012. However, as the area for this project is located in the future Site C inundation zone and the outcome of the project will not be applicable to a reservoir environment, this project has been canceled as per the CWR letter dated July 9, 2019.

5.4 GMSMON-8 Peace River Side Channel Response

The purpose of this project was to inform future spill strategies by measuring effects to side channel fish, downstream of PCN. This opportunistic project is implemented in the event of a spill and was last triggered in 2012. The sites monitored were based on the site selection process embedded in GMSWORKS-3 (Peace River Trial Side Channels). However, as the sites for the project are located in the future Site C inundation zone and the outcome of the project will not be applicable to a reservoir environment, this project has been canceled as per the CWR letter dated July 9, 2019.

5.5 GMSMON-9 Peace River Spill Hydrology

The purpose of this opportunistic work was collection and reporting of hydrological data required for reporting of companion spill projects (GMSMON-3, 4, 6, and 8 through 12). Assessment of the pre-spill data requirements were completed in June 2009. This project was triggered and completed in 2012.

The goal of the GMSMON-9 program was to evaluate data requirements for spill event monitoring programs and to supply data in the event of a spill. A review of the results of GMSMON-9 against the project purpose was completed in 2018 to determine if additional years of study and data from a future spill are required. It has been determined that data to inform the GMSMON-9 objective can be obtained from other BC Hydro sources and GMSWORKS-2 and no further implementation is planned. Based on this review, this project is complete.

5.6 GMSMON-10 Peace River Spill Photos

The objective of this project was to document PCN spill flow effect on the Peace River inundation of shoreline and riparian areas. Digital photography was acquired in 2012. However, as the area of the project is located in the future Site C inundation zone and the outcome of the project will not be applicable to a reservoir environment, this project has been canceled as per the CWR letter dated July 9, 2019.

5.7 GMSMON-11 Peace River Spill TGP and Temperature

The purpose of this project is to determine the PCN spill effects to Peace River temperature and total dissolved gas pressure levels. A portion of this study, downstream of Peace Canyon Dam, is within the future inundation zone of Site C and was suspended as per the CWR letter of September 8, 2015. On August 15, 2019, the CWR approved a Terms of Reference Addendum to extend the monitoring program until the end of 2027 and to remove the Site C inundation zone from the study area.

This opportunistic project is implemented in the event of a spill and was last triggered in 2021. There were no Peace River Spill events in 2023.

5.8 GMSMON-12 Peace River Wildlife Stranding Survey

The purpose of this project was to determine the effects on wildlife below PCN resulting from spill effects. The pre-spill research component was conducted in May 2010. This opportunistic project is implemented in the event of a spill and was last triggered in 2012. However, as the area of the project is located in the future Site C inundation zone and the outcome of the project will not be applicable to a reservoir environment, this project has been canceled as per the CWR letter dated July 9, 2019.

5.9 GMSMON-13 WLL Fish Index

The objective of this project was to assess the fish species composition, abundance, and distribution in the pelagic area of the Peace Arm of Williston Reservoir, to assist in assessing the impact of entrainment on fish populations during a spill. This project was a one-time survey completed in 2008. A key assumption in this project was that the inter-variability in the index estimates and composition in the Williston Reservoir was not very large, and therefore, this index survey would serve as a pre-spill baseline collected under normal operating conditions. However, the composition of Williston Reservoir has changed over the past ~20 years, shifting from primarily Lake Whitefish in the pelagic zone to primarily Kokanee. This shift was first observed in early 2000, was continuing in 2012, and is likely still occurring as of 2018. As a result, any spill that occurs at W.A.C. Bennett Dam will require an updated index survey to reflect the current species composition and assessment of specific age classes and species in the reservoir and forebay. This project is completed.

5.10 GMSWORKS-2 Peace River Baseline TGP and Temperature

The purpose of this project is to collect baseline total gas pressure (TGP) and water temperature data in the vicinity of GMS and PCN. A Terms of Reference Addendum was approved on June 28, 2019, extending this project until 2027.

The Year 13 report (dated April 2023) is attached.

6 Status of Monitoring Programs under Order Clause 7

6.1 GMSMON-21A Heritage and Culture Information Plan: Archaeological Overview Assessment

The purpose of this project, undertaken in 2009, was a one-year archaeological overview assessment of the drawdown zones of the Williston and Dinosaur Reservoirs and the Peace River. The intent was to gather information on the number, location, elevation, condition, use, susceptibility to erosion and relative importance of heritage sites in the area, and to provide baseline information for GMSMON-21B (see section 6.2 below). This project is complete.

6.2 GMSMON-21B Peace River Erosion Monitoring – Archaeological Resources

The objective of this project is to collect quantitative measures of the magnitude, severity, rate of change and estimated duration of erosion effects caused by reservoir operations on selected heritage sites within the Williston and Dinosaur Reservoirs and the Peace River. This non-intrusive monitoring project commenced in the spring of 2010.

All fieldwork for this project is now complete. The Year 9 and Year 10 reports are under review and will be submitted with the 2024 Annual Report.

7 Monitoring Programs and Physical Works Costs

The following table summarizes the Spill Protocol and Archaeology Management Plan WUP monitoring programs and physical works costs approved by the CWR and the Actual Costs to August 31, 2023.

Table 7-1: Spill Protocol and Archaeology Management Plan WUP Monitoring Programs and Physical Works Costs

Monitoring Programs	Costs approved by CWR	Life to Date Actuals (LTD)	Estimated to Complete (Forecast)	Total Forecast (LTD and Forecast)	Variance Total to	Explanation	Corrective Action
			<u>.</u>				
GMS Prepare Annual Report	\$56.321	\$52 485	\$941	\$53 426	\$2 895		
	¢00,021	\$0 <u>2</u> ,100	¢011	\$00,120	φ2,000		
GMSM03A PCR Fish Stranding	\$225 156	\$144 306		\$144 306	\$80,850	Project cancelled	
GMSM03A PCR Fish Stranding - OR DM	\$12,272	\$13,703		\$13,703	(\$1,431)		
GMSM03A PCR Fish Stranding - OR Imp	\$212,884	\$130,604		\$130,604	\$82,280		
						Conditional program only triggered during	
GMSM04A GMS Entrainment	\$1,399,137	\$647.607	\$466.184	\$1,113,791	\$285.346	Peace spill events	
GMSM04A GMS Entrainment - OR DM	\$176,357	\$125,205	\$66,184	\$191,388	(\$15,031)		
GMSM04A GMS Entrainment - OR Imp	\$1,222,780	\$522,402	\$400,000	\$922,402	\$300,378		
GMSM06A PCR Riparian Flooding	\$226.273	\$4.332		\$4.332	\$221,942	Project cancelled	
GMSM06A PCR Riparian Flooding - OR DM	\$31,213	\$4,332		\$4,332	\$26,882	,	
GMSM06A PCR Riparian Flooding - OR Imp	\$195,060				\$195,060		
				· · · · ·			
GMSM08A PCR Side Channel Resp	\$138,752	\$58,464		\$58,464	\$80,288	Project cancelled	
GMSM08A PCR Side Channel Resp - OR DM	\$9,652	\$8,066		\$8,066	\$1,586		
GMSM08A PCR Side Channel Resp - OR Imp	\$129,100	\$50,398		\$50,398	\$78,702		
GMSM09A PCR Spill Hydrology	\$68,979	\$47,737	\$1,857	\$49,594	\$19,385	Project complete	
GMSM09A PCR Spill Hydrology - OR DM	\$18,979	\$21,049	\$1,857	\$22,906	(\$3,927)		
GMSM09A PCR Spill Hydrology - OR Imp	\$50,000	\$26,687		\$26,687	\$23,313		
GMSM10A PCR Spill Photos	\$297,996	\$125,455		\$125,455	\$172,541	Project cancelled	
GMSM10A PCR Spill Photos - OR DM	\$10,951	\$12,657		\$12,657	(\$1,706)		
GMSM10A PCR Spill Photos - OR Imp	\$287,045	\$112,798		\$112,798	\$174,247		
						Conditional program only triggered during	
GMSM11A PCR Spill TGP/Temp	\$234,940	\$153,124	\$31,440	\$184,564	\$50,376	Peace spill events	
GMSM11A PCR Spill TGP/Temp - OR DM	\$48,441	\$33,774	\$14,440	\$48,214	. \$227		
GMSM11A PCR Spill TGP/Temp - OR Imp	\$186,499	\$119,350	\$17,000	\$136,350	\$50,149		
GMSM12A PCR Wildlife Survey	\$339,669	\$142,037		\$142,037	\$197,632	Project cancelled	
GMSM12A PCR Wildlife Survey - OR DM	\$18,231	\$18,200		\$18,200	\$31		
GMSM12A PCR Wildlife Survey - OR Imp	\$321,438	\$123,838		\$123,838	\$197,600		
GMSM13A WLL Fish Index	\$124,909	\$81,088	\$1,857	\$82,945	\$41,964	Project complete	
GMSM13A WLL Fish Index - OR DM	\$14,296	\$19,582	\$1,857	\$21,439	(\$7,143)		
GMSM13A WLL Fish Index - OR Imp	\$110,613	\$61,506		\$61,506	\$49,107		
				[
GMSM21A WLL Arch Overview	\$113,614	\$113,343		\$113,343	\$271	Project complete	
GMSM21A WLL Arch Overview - OR DM	\$16,186	\$20,123		\$20,123	(\$3,937)		
GMSM21A WLL Arch Overview - OR Imp	\$97,428	\$93,220		\$93,220	\$4,208		
	1			[
GMSM21B B WLL Arch Monitor	\$848,598	\$834,436	\$5,809	\$840,245	\$8,353		
GMSM21B B WLL Arch Monitor - OR DM	\$63,634	\$50,295	\$5,809	\$56,104	\$7,530		
GMSM21B B WLL Arch Monitor - OR Imp	\$784,964	\$784,141		\$784,141	\$823		
				[
GMSW02A Baseline TGP Temp	\$412,388	\$264,208	\$130,801	\$395,009	\$17,379		
GMSW02A Baseline TGP Temp - OR DM	\$57,362	\$44,158	\$6,794	\$50,952	\$6,410		
GMSW02A Baseline TGP Temp - OR Imp	\$355,026	\$220,050	\$67,008	\$287,057	\$67,969		

OR - Ordered Remissible

ONR - Ordered Non-Remissible

* Red values in parentheses denote overage.